PRODUCT INFORMATION

REGUPOL CLIMB FUNTASTIC



NEW LIFE
TOP RECYCLED PRODUCT

PRODUCT INFORMATION

REGUPOL CLIMB FUNTASTIC

Applications:
Outdoor climbing

Material:
PUR binder, synthetic rubber components, top layer: EPDM granules

Maximum fall height:
up to 3.00 m, fall protection testing in acc. with DIN EN 1177

Dimensions | Weight | Maximum fall height:
REGUPOL climb funtastic 55
1,000 x 500 x 55 mm | approx. 38.4 kg/m² | 1.50 m
REGUPOL climb funtastic 85
1,000 x 500 x 85 mm* | approx. 53.3 kg/m² | 2.27 m
REGUPOL climb funtastic 115
1,000 x 500 x 115 mm** | approx. 67.4 kg/m² | 3.24 m

Tolerances: length / width ± 1 % | thickness ± 2 mm

* incl. 30 mm base mat
** incl. 60 mm base mat

Colours:
4 EPDM colour options

Accessories:
Plug-in dowels, two-component PUR adhesive sealant

Special features and benefits:
Hard-wearing, More than 80 % recycled Content, Colour-stable, Pleasant surface feel, Easy to clean, Modern design, Easy to lay

Service:
Product sample Service, Tender text/specification, Individual worldwide advice, Internal quality certificates, Quality and functional testing on site, accessories, External certification

Installation:
On concrete, drainage concrete, asphalt. On compacted bed of crushed stone or gravel only in conjunction with base tile.

Sustainability:
Our **REGUPOL climb safety floors** have been awarded the label "Top Recycled Product" by the NEW LIFE initiative. This label is only awarded to products consisting of over 80% recycled material

Accessibility:
Conditionally accessible, further information available on request.

REGUPOL CLIMB FUNTASTIC

EPDM colour options



bright green | bright yellow

bright blue | dark blue

grey | dark grey



beige | dark grey

Minor discolouration may occasionally occur and is considered normal.

Deviations from the colours shown are possible due to production batches and brochure print.

Country-specific requirements must be complied with. We will be happy to advise you regarding the product you want to buy.